

My Way

MAPS 34, NAJAAR 2006

Display Math in Con^TE_Xt:
Con^TE_Xt rehab for amsmath addicts
Aditya Mahajan

This article was originally published in MAPS 34. MAPS is the publication of NTG (Nederlandstalige TeX Gebruikersgroep or Netherland's TeX Group). More details about MAPS can be found at the NTG website <http://www.ntg.nl/index.html>. I am releasing it as a My Way to make the article more easily accessible. I also plan to update the article with some of the newer math features that have been incorporated in Con^TE_Xt.

This article explains how to do various kinds of alignments in Con^TE_Xt. A visual output is presented, and it is then shown how that effect can be achieved in L^AT_EX and Con^TE_Xt. We hope that article will make the transition from L^AT_EX with amsmath package to Con^TE_Xt easier.

1 Introduction

Plain TeX provides several macros like `\eqalign`, `\eqalignno`, `\displaylines`, `\matrix`, `\pmatrix`, `\cases`, and `\halign`, for math alignments. These macros are adequate for most constructions that occur in practice. AMS-TeX and the `amsmath` package supply math alignment environments that provide a layer of abstraction for the user and makes it (slightly) easier for him/her to type the common math alignments. Most people learning TeX these days start from L^AT_EX and those writing substantial math use the `amsmath` package; they know nothing about the plain TeX math alignment macros. In earlier versions of ConTeXt, since the plain TeX macros could be used, no additional macros for math alignments were provided. This made writing math alignments difficult for users who came to ConTeXt with a L^AT_EX background. They did not know about plain TeX macros and kept looking for something equivalent to the `amsmath` package. There was an `ams1` package module by Giuseppe Bilotta, but it was very limited. Moreover, doing alignments with multiple alignment points in plain TeX requires a good understanding of the TeX alignment mechanism; making them obscure for a typical user. This resulted in a general impression that ConTeXt does not handle math very well.

Recently (in January 2006 to be precise), Hans added math alignment macros in ConTeXt. These macros provide a very nice user interface to plain TeX's alignment mechanism; they can be used to achieve the functionality of `amsmath` package macros; and, like all user macros in ConTeXt, they are easy to customize. These macros, however, neither copy the user interface of `amsmath` package, nor the implementation. So, translating your existing L^AT_EX math code into ConTeXt requires some effort and the result is not necessarily, pixel by pixel, identical.

In this article, I describe how to convert the common alignment constructions from L^AT_EX to ConTeXt, highlighting some of the flexibility offered by ConTeXt. This is a *visual* document: I first show how the output should look like, then present L^AT_EX and ConTeXt examples that give that output. This article is not meant as a tutorial for math alignments in L^AT_EX or ConTeXt, and I do not explain the L^AT_EX and the ConTeXt syntax. The article is not exhaustive; it provides a small sample of math alignments that can be done using L^AT_EX and ConTeXt. For an indepth treatment of L^AT_EX's math capabilities see Herbert Voß's `mathmode`.¹ For a introduction to ConTeXt math alignment see My Way on `\startalign` and friends.² The objective of this article is not to compare the features of these two macro packages, rather it is to show that ConTeXt is capable of handling "complicated" math alignments.

¹ Herbert Voß, "Math mode," available from <http://tug.ctan.org/cgi-bin/getFile.py?fn=/info/math/voss/mathmode/Mathmode.pdf>

² Aditya Mahajan, "My Way on `\startalign` and friends," available from <http://d1.contextgarden.net/myway/mathalign.pdf>

gather

2 Math Alignments

ConTeXt provides `\mathalignment` series of macros (`\definemathalignment`, `\setupmathalignment`, `\startmathalignment`, and `\stopmathalignment`) to take care of the different math alignments. Below, I describe some common math constructs, and examples of how to achieve them in L^AT_EX and ConTeXt.

2.1 gather

The `gather` environment of `amsmath` package allows you to write multi-line formulas with each line center aligned. It is perhaps the simplest form of “alignment”. In ConTeXt the same effect can be achieved using appropriate options to `\startmathalignment`.

$$\begin{aligned} \mathbf{[1]} &= \mathbf{[2]} + \mathbf{[3]} + \mathbf{[4]} \\ \mathbf{[1]} &= \mathbf{[5]} + \mathbf{[6]} + \mathbf{[7]} + \mathbf{[8]} + \mathbf{[9]} \end{aligned}$$

```
\begin{gather}
v = u + at, \\
d = ut + \frac{1}{2}at^2.
\end{gather}
```

L^AT_EX

$$v = u + at, \tag{1}$$

$$d = ut + \frac{1}{2}at^2. \tag{2}$$

```
\placeformula \startformula
\startmathalignment[n=1]
\NC v = u + at, \NR[+]
\NC d = ut + \frac{1}{2}at^2. \NR[+]
\stopmathalignment
\stopformula
```

$$v = u + at,$$

$$d = ut + \frac{1}{2}at^2.$$

(1)

(2)

CONTEXT

2.2 left gather

Sometimes one wants multi-line formulas, where each line is left or right aligned, rather than center aligned as in the `gather` environment. Although, L^AT_EX does not provide any in-built environment for such constructions, it is easy to exploit

right gather

the align environment to achieve this output. In ConTeXt passing align=left to \startmathalignment gives the desired output.

$$\boxed{\quad} = \boxed{\quad} + \boxed{\quad} + \boxed{\quad}$$

$$\boxed{\quad} = \boxed{\quad} + \boxed{\quad} + \boxed{\quad} + \boxed{\quad}$$

```
\begin{aligned}
& v = u + at, \\
& d = ut + \frac{1}{2}at^2.
\end{aligned}
```

LATEX (1)

(2)

```
\placeformula \startformula
\startmathalignment[n=1,align=left] %align=left does the magic
\NC v = u + at, \NR[+]
\NC d = ut + \frac{1}{2}at^2. \NR[+]
\stopmathalignment
\stopformula
```

(1)

(2)

2.3 right gather

For multi-line formulas with each line right aligned, in L^AT_EX you can exploit the align environment, while in ConTeXt you need to pass align=right to \startmathalignment

$$\boxed{\quad} = \boxed{\quad} + \boxed{\quad} + \boxed{\quad} + \boxed{\quad} + \boxed{\quad}$$

$$\boxed{\quad} = \boxed{\quad} + \boxed{\quad}$$

```
\begin{aligned}
v &= u + at, & \& \\
d &= ut + \frac{1}{2}at^2. & \&
\end{aligned}
```

CONTEXT

Display Math in ConTeXt: ConTeXt rehab for amsmath addicts

align

LATEX

$$\begin{aligned} v &= u + at, \\ d &= ut + \frac{1}{2}at^2. \end{aligned} \quad \begin{array}{l} (1) \\ (2) \end{array}$$

```
\placeformula \startformula
  \startmathalignment[n=1,align=right] %align=right does the magic
    \NC v = u + at,           \NR[+]
    \NC d = ut + \frac{1}{2}at^2. \NR[+]
  \stopmathalignment
\stopformula
```

$$\begin{aligned} v &= u + at, \\ d &= ut + \frac{1}{2}at^2. \end{aligned} \quad \begin{array}{l} (1) \\ (2) \end{array}$$

CONTEXT

2.4 align

This is the simplest and the most widely used form of alignment. In the simplest case, there are two columns, one right aligned and the other left aligned. In LATEX the align environment takes care of such alignments; in ConTeXt \startmathalignment.

$$\begin{aligned} \text{■} &= \text{■■■} + \text{■■■} + \text{■} + \text{■} + \text{■■■} \\ \text{■■■} &= \text{■■■} + \text{■} + \text{■■■} + \text{■■■} + \text{■■■} + \text{■■■} \end{aligned}$$

LATEX

$$\begin{aligned} v &= u + at, \\ d &= ut + \frac{1}{2}at^2. \end{aligned} \quad \begin{array}{l} (1) \\ (2) \end{array}$$

```
\begin{align}
  v &= u + at, \\
  d &= ut + \frac{1}{2}at^2.
\end{align}
```

split

(1)

$$v = u + at,$$

(2)

$$d = ut + \frac{1}{2}at^2.$$

CONTEXT

2.5 split

The `split` environment of `amsmath` package is used for writing a single formula which needs more than one line. The whole formula gets a single number. In ConTeXt you have to manually specify which line to number.

$$\begin{aligned} &= \boxed{} + \boxed{} + \boxed{} + \boxed{} + \boxed{} + \boxed{} \\ &\quad + \boxed{} + \boxed{} + \boxed{} + \boxed{} \end{aligned}$$

LATEX

```
\begin{equation} \begin{aligned} (x+1)^8 &= \{ x^8 + 8 x^7 + 28 x^6 + 56 x^5 + 70 x^4 \\ &\quad + 56 x^3 + 28 x^2 + 8 x + 1. \end{aligned} \end{equation}
```

(1)

$$(x+1)^8 = x^8 + 8x^7 + 28x^6 + 56x^5 + 70x^4 + 56x^3 + 28x^2 + 8x + 1.$$

CONTEXT

```
\placeformula \startformula
\startmathalignment
\NC (x+1)^8 = \NC x^8 + 8 x^7 + 28 x^6 + 56 x^5 + 70 x^4 \NR
\NC \qquad \NC + 56 x^3 + 28 x^2 + 8 x + 1. \NR[+]
\stopmathalignment
\stopformula
```

$$(x+1)^8 = x^8 + 8x^7 + 28x^6 + 56x^5 + 70x^4 + 56x^3 + 28x^2 + 8x + 1.$$

(1)

Notice that in L^AT_EX the spacing around `=` in the first line has to be manually corrected by typing `{}`. ConTeXt takes care of this automatically. In L^AT_EX you can control the position of the tag with `tbtags` or `centertags` option to the `amsmath` package. Right now, with the math alignment macros in ConTeXt you can only achieve the result equivalent to `tbtags`. To get the result equivalent to `centertags` you have to use the `\eqalign` macro of plain T_EX.

alignat

2.6 alignat

The `alignat` environment of `amsmath` package allows you to align at several places. The alignment order alternates between right and left aligned columns. In ConTeXt the same effect can be achieved by `m=...` option of `\startmathalignment`.

$$\begin{array}{l} \boxed{} = \boxed{} \\ \boxed{} = \boxed{} + \boxed{} + \boxed{} \\ \boxed{} = \boxed{} + \boxed{} + \boxed{} \end{array} \quad \begin{array}{l} \boxed{} = \boxed{} + \boxed{} + \boxed{} \\ \boxed{} = \boxed{} + \boxed{} \end{array}$$

```
\begin{alignat}{2}
& \nabla \cdot \mathbf{E} &= \frac{\rho}{\epsilon_0}, & \nabla \times \mathbf{E} = -\frac{\partial \mathbf{B}}{\partial t}, \\
& \nabla \times \mathbf{B} &= 0, & \nabla \cdot \mathbf{B} = \mu_0 \mathbf{j} + \epsilon_0 \mu_0 \frac{\partial \mathbf{E}}{\partial t}.
\end{alignat}
```

LATEX

$$\nabla \cdot \mathbf{E} = \frac{\rho}{\epsilon_0}, \quad \nabla \times \mathbf{E} = -\frac{\partial \mathbf{B}}{\partial t}, \tag{1}$$

$$\nabla \cdot \mathbf{B} = 0, \quad \nabla \times \mathbf{B} = \mu_0 \mathbf{j} + \epsilon_0 \mu_0 \frac{\partial \mathbf{E}}{\partial t}. \tag{2}$$

```
\placeformula \startformula
\startmathalignment[m=2,distance=2em] %Notice distance=2em
\NC \nabla \cdot \mathbf{E} \NC= \frac{\rho}{\epsilon_0},
\NC \nabla \times \mathbf{E} \NC= -\frac{\partial \mathbf{B}}{\partial t}, \NR[+]
\NC \nabla \cdot \mathbf{B} \NC= 0,
\NC \nabla \times \mathbf{B} \NC= \mu_0 \mathbf{j} + \epsilon_0 \mu_0 \frac{\partial \mathbf{E}}{\partial t}. \NR[+]
\stopmathalignment
\stopformula
```

$$\nabla \cdot \mathbf{E} = \frac{\rho}{\epsilon_0}, \quad \nabla \times \mathbf{E} = -\frac{\partial \mathbf{B}}{\partial t}, \tag{1}$$

$$\nabla \cdot \mathbf{B} = 0, \quad \nabla \times \mathbf{B} = \mu_0 \mathbf{j} + \epsilon_0 \mu_0 \frac{\partial \mathbf{E}}{\partial t}. \tag{2}$$

CONTEXT

2.7 flalign

The `flalign` environment is the same as `alignat` environment but with the equations a little more “out spaced”. In ConTeXt you can control the space between the “blocks” by `distance=...` option to `\startmathalignment`.

\intertext

$$\boxed{\quad} = \boxed{\quad} + \boxed{\quad}$$

$$\boxed{\quad} = \boxed{\quad} + \boxed{\quad}$$

$$\boxed{\quad} = \boxed{\quad} + \boxed{\quad} + \boxed{\quad}$$

$$\boxed{\quad} = \boxed{\quad}$$

```
\begin{flalign*}
\nabla \cdot \mathbf{E} &= \frac{\rho}{\epsilon_0}, \\
&\nabla \times \mathbf{E} = -\frac{\partial \mathbf{B}}{\partial t}. \\
&\nabla \cdot \mathbf{B} = 0, \\
&\nabla \times \mathbf{B} = \mu_0 \mathbf{j} + \epsilon_0 \mu_0 \frac{\partial \mathbf{E}}{\partial t}.
\end{flalign*}
```

LATEX

$$\nabla \times \mathbf{E} = -\frac{\partial \mathbf{B}}{\partial t}.$$

$$\nabla \times \mathbf{B} = \mu_0 \mathbf{j} + \epsilon_0 \mu_0 \frac{\partial \mathbf{E}}{\partial t}.$$

\startformula

```
\startmathalignment[m=2,distance=2em plus 1 fill] %Notice distance=...
\NC \nabla \cdot \mathbf{E} \NC= \frac{\rho}{\epsilon_0}, 
\NC \nabla \times \mathbf{E} \NC= -\frac{\partial \mathbf{B}}{\partial t}, \NR
\NC \nabla \cdot \mathbf{B} \NC= 0,
\NC \nabla \times \mathbf{B} \NC= \mu_0 \mathbf{j} + \epsilon_0 \mu_0 \frac{\partial \mathbf{E}}{\partial t}. \NR
```

\stopmathalignment
\stopformula

$$\nabla \cdot \mathbf{E} = \frac{\rho}{\epsilon_0},$$

$$\nabla \cdot \mathbf{B} = 0,$$

$$\nabla \times \mathbf{E} = -\frac{\partial \mathbf{B}}{\partial t},$$

$$\nabla \times \mathbf{B} = \mu_0 \mathbf{j} + \epsilon_0 \mu_0 \frac{\partial \mathbf{E}}{\partial t}.$$

CONTEXT

2.8 \intertext

The `\intertext` macro from `amsmath` allows you to break the alignment and write some text, which does not affect the alignment. ConTeXt provides the `\intertext` macro and a `\startintertext`, `\stopintertext` environment for the same.

$$\boxed{\quad} = \boxed{\quad} + \boxed{\quad} + \boxed{\quad} + \boxed{\quad}$$

$$\boxed{\quad} = \boxed{\quad} + \boxed{\quad}$$

Display Math in ConTeXt: ConTeXt rehab for amsmath addicts

linear equations

```
\begin{align*}
\cos 2\theta &= \cos^2 \theta + \sin^2 \theta \\
\intertext{replace $\sin^2 \theta$ by $1 - \cos^2 \theta$}
&= 2\cos^2 \theta - 1
\end{align*}
```

LATEX

$$\cos 2\theta = \cos^2 \theta + \sin^2 \theta$$

replace $\sin^2 \theta$ by $1 - \cos^2 \theta$

$$= 2\cos^2 \theta - 1$$

```
\startformula
\startmathalignment
\NC \cos 2\theta \NC= \cos^2 \theta + \sin^2 \theta \NR
\intertext{replace $\sin^2 \theta$ by $1 - \cos^2 \theta$}
\NC \NC = 2\cos^2 \theta - 1 \NR
\stopmathalignment
\stopformula
```

$$\cos 2\theta = \cos^2 \theta + \sin^2 \theta$$

replace $\sin^2 \theta$ by $1 - \cos^2 \theta$

$$= 2\cos^2 \theta - 1$$

CONTEXT

The spacing around `intertext` in ConTeXt looks too large to me. This can be easily corrected. If someone comes up with a convincing argument for it

2.9 linear equations

In L^AT_EX linear equations can be handled using `alignat` environment; in ConTeXt appropriate options to `\startmathalignment` take care of this construction.³

$$\boxed{} + \boxed{} + \boxed{} = \boxed{}$$
$$\boxed{} + \boxed{} + \boxed{} = \boxed{}$$
$$\boxed{} + \boxed{} + \boxed{} = \boxed{}$$

³ Compare these solutions from Exercise 22.9 in the T_EXbook.

Display Math in ConTeXt: ConTeXt rehab for amsmath addicts

linear equations

```
\begin{alignat}{5}
x_1 & {} + {}& x_2 & {} + {}& 6x_3 & {} = {}& 170, \\
3x_1 & {} - {}& 110x_2 & {} - {}& x_3 & {} = {}& 4, \\
14x_1 & {} + {}& 13x_2 & {} + {}& 10x_3 & {} = {}& 25.
\end{alignat}
```

LATEX

$$x_1 + x_2 + 6x_3 = 170, \quad (1)$$

$$3x_1 - 110x_2 - x_3 = 4, \quad (2)$$

$$14x_1 + 13x_2 + 10x_3 = 25. \quad (3)$$

```
\placeformula \startformula
\startmathalignment[n=7,align={right,left,right,left,right,left,right}]
\NC x_1 \NC + \NC x_2 \NC + \NC 6x_3 \NC = \NC 170, \NR[+]
\NC 3x_1 \NC - \NC 110x_2 \NC - \NC x_3 \NC = \NC 4, \NR[+]
\NC 14x_1 \NC + \NC 13x_2 \NC + \NC 10x_3 \NC = \NC 25. \NR[+]
\stopmathalignment
\stopformula
```

$$x_1 + x_2 + 6x_3 = 170, \quad (1)$$

$$3x_1 - 110x_2 - x_3 = 4, \quad (2)$$

$$14x_1 + 13x_2 + 10x_3 = 25. \quad (3)$$

CONTEXT

In L^AT_EX we are limited to left and right aligned columns. In ConTeXt it is easy to change the alignment of individual columns. For example

```
\placeformula \startformula
\startmathalignment[n=7,
align={middle,middle,middle,middle,middle,middle,middle}]
\NC x_1 \NC + \NC x_2 \NC + \NC 6x_3 \NC = \NC 170, \NR[+]
\NC 3x_1 \NC - \NC 110x_2 \NC - \NC x_3 \NC = \NC 4, \NR[+]
\NC 14x_1 \NC + \NC 13x_2 \NC + \NC 10x_3 \NC = \NC 25. \NR[+]
\stopmathalignment
\stopformula
```

multi-column numbered equations

$$\begin{aligned} x_1 + x_2 + 6x_3 &= 170, \\ 3x_1 - 110x_2 - x_3 &= 4, \\ 14x_1 + 13x_2 + 10x_3 &= 25. \end{aligned}$$

(1) CONTEXT
 (2)
 (3)

2.10 multi-column numbered equations

Sometimes, while writing formulas in blocks, you need to number formulas in all blocks. I do not know of any easy way to do this in L^AT_EX. Herbert Voß's Mathmode¹ has an example in Section 73 of using `tabular` to achieve this effect. ConTeXt provides `\startformulas` for multi-column formulas, which allows numbering of formulas in each column.

$$\begin{aligned} \blacksquare &= \blacksquare + \blacksquare + \blacksquare \\ \blacksquare &= \blacksquare + \blacksquare + \blacksquare \end{aligned} \quad (1)$$

$$\begin{aligned} \blacksquare &= \blacksquare \\ \blacksquare &= \blacksquare \end{aligned} \quad (2)$$

```
\placeformula \startformulas
\startformula \startmathalignment
\NC \nabla \cdot \bf{E} \NC= \frac{\rho}{\varepsilon_0}, \NR[+]
\NC \nabla \cdot \bf{B} \NC= 0, \NR[+]
\stopmathalignment \stopformula
\startformula \startmathalignment
\NC \nabla \times \bf{E} \NC= -\frac{\partial \bf{B}}{\partial t}, \NR[+]
\NC \nabla \times \bf{B} \NC= \mu_0 \bf{j} + \frac{\partial \bf{E}}{\partial t}. \NR[+]
\stopmathalignment \stopformula
\stopformulas
```

$$\begin{aligned} \nabla \cdot \mathbf{E} &= \frac{\rho}{\varepsilon_0}, & (1) & \nabla \times \mathbf{E} &= -\frac{\partial \mathbf{B}}{\partial t}, & (3) \\ \nabla \cdot \mathbf{B} &= 0, & (2) & \nabla \times \mathbf{B} &= \mu_0 \mathbf{j} + \varepsilon_0 \mu_0 \frac{\partial \mathbf{E}}{\partial t}. & (4) \end{aligned}$$

CONTEXT

2.11 Defining your own alignments

In the examples given above, I passed the arguments to `\startmathalignment`. This can be repetitive if you have to use the same alignment many times. ConTeXt provides `\definemathalignment` to define a new math alignments. Suppose you have to type a lot of linear equations, you can define your own alignment as follows

Simple Matrix

```
\definemathalignment
  [linearequations]
  [n=7,align={middle,middle,middle,middle,middle,middle,middle}]

\placeformula \startformula
\startlinearequations
\NC x_1 \NC + \NC x_2 \NC + \NC 6x_3 \NC = \NC 170, \NR[+]
\NC 3x_1 \NC - \NC 110x_2 \NC - \NC x_3 \NC = \NC 4, \NR[+]
\NC 14x_1 \NC + \NC 13x_2 \NC + \NC 10x_3 \NC = \NC 25. \NR[+]
\stoplinearequations
\stopformula
```

$$x_1 + x_2 + 6x_3 = 170, \tag{1}$$

$$3x_1 - 110x_2 - x_3 = 4, \tag{2}$$

$$14x_1 + 13x_2 + 10x_3 = 25. \tag{3}$$

CONTEXT

You can define similar alignments for each special case that you have to use.

3 Matrix and Arrays

ConTeXt provides `mathmatrix` series of macros (`\definemathmatrix`, `\setupmathmatrix`, `\startmathmatrix`, and `\stopmathmatrix`) to take care of matrix alignments. These macros can provide functionality of array environment as well as the `matrix` series of macros from `amsmath` package.

3.1 Simple Matrix

A matrix is a collection of objects that are arranged in rows and columns. In L^AT_EX this alignment is provided by the `array` environment. In ConTeXt `\startmathmatrix` provides this feature.



Display Math in ConTeXt: ConTeXt rehab for amsmath addicts

Simple Matrix

```
\begin{equation*}
\setlength{\arraycolsep}{1em}
\begin{array}{ccc}
A & B & C \\
AA & BB & CC \\
AAA & BBB & CCC
\end{array}
\end{equation*}
```

LaTeX

$$\begin{array}{ccc} A & B & C \\ AA & BB & CC \\ AAA & BBB & CCC \end{array}$$

```
\startformula
\startmathmatrix[n=3]
\NC A \NC B \NC C \NR
\NC AA \NC BB \NC CC \NR
\NC AAA \NC BBB \NC CCC \NR
\stopmathmatrix
\stopformula
```

CONTEXT

$$\begin{array}{ccc} A & B & C \\ AA & BB & CC \\ AAA & BBB & CCC \end{array}$$

In L^AT_EX the alignment of each column can be changed by the r, c, l options to array.
In ConTeXt you need to pass appropriate arguments to align=....

```
\begin{equation*}
\setlength{\arraycolsep}{1em}
\begin{array}{lcr}
A & B & C \\
AA & BB & CC \\
AAA & BBB & CCC
\end{array}
\end{equation*}
```

LaTeX

$$\begin{array}{ccc} A & B & C \\ AA & BB & CC \\ AAA & BBB & CCC \end{array}$$

```
\startformula
\startmathmatrix[n=3,align={left,middle,right}]
\NC A \NC B \NC C \NR
\NC AA \NC BB \NC CC \NR
\NC AAA \NC BBB \NC CCC \NR
\stopmathmatrix
\stopformula
```

$$\begin{array}{ccc} A & B & C \\ AA & BB & CC \\ AAA & BBB & CCC \end{array}$$

CONTEXT

3.2 pmatrix, et. al

The amsmath package provides `pmatrix`, `bmatrix`, etc. environments that make it easy to typeset matrix surrounded by delimiters. In ConTeXt it is straightforward to define such matrices uses `\definemathmatrix`

```
\begin{equation*}
A = \begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix}
\end{equation*}
```

LATEX

$$A = \begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix}$$

```
\definemathmatrix
[pmatrix]
[left=\{\left(\,),right=\{\),\right)\}]
```

```
\startformula
A = \startpmatrix 1 \NR 2 \NR 3 \NR \stoppmatrix
\stopformula
```

$$A = \begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix}$$

CONTEXT

Display Math in ConTeXt: ConTeXt rehab for amsmath addicts

3.3 delarray package

$$\left(\begin{array}{c|c|c} \hline & & \\ \hline & & \\ \hline \end{array}\right) \left(\begin{array}{c|c|c} \hline & & \\ \hline & & \\ \hline \end{array}\right) \left(\begin{array}{c|c|c} \hline & & \\ \hline & & \\ \hline \end{array}\right)$$

The `delarray` package in L^AT_EX allows you to typeset arrays with properly scaled delimiters, even when the array is not middle aligned to the baseline. In ConTeXt the `\startmathmatrix` takes care of proper scaling of delimiters.

```
\begin{equation*}
\begin{array}{|c|c|c}
\hline 1 & 2 & 3 \\
\hline 2 & 3 & 1 \\
\hline 3 & 1 & 2 \\
\hline
\end{array}
\begin{array}{|c|c|c}
\hline 1 & 2 & 3 \\
\hline 2 & 3 & 1 \\
\hline 3 & 1 & 2 \\
\hline
\end{array}
\begin{array}{|c|c|c}
\hline 1 & 2 & 3 \\
\hline 2 & 3 & 1 \\
\hline 3 & 1 & 2 \\
\hline
\end{array}
\end{equation*}
```

L^AT_EX

$$\left(\begin{array}{c} 1 \\ 2 \\ 3 \end{array}\right) \left(\begin{array}{c} 1 \\ 2 \\ 3 \end{array}\right) \left(\begin{array}{c} 1 \\ 2 \\ 3 \end{array}\right)$$

```
\definemathmatrix
[pmatrix]
[left={\left(\,},right={\,\right)}]

\startformula
\startpmatrix[location=low] 1 \NR 2 \NR 3 \NR \stoppmatrix
\startpmatrix[location=middle] 1 \NR 2 \NR 3 \NR \stoppmatrix
\startpmatrix[location=high] 1 \NR 2 \NR 3 \NR \stoppmatrix
\stopformula
```

$$\left(\begin{array}{c} 1 \\ 2 \\ 3 \end{array}\right) \left(\begin{array}{c} 1 \\ 2 \\ 3 \end{array}\right) \left(\begin{array}{c} 1 \\ 2 \\ 3 \end{array}\right)$$

CONTEXT

4 Cases

Cases is another common math alignment.

$$\boxed{=} = \begin{cases} \boxed{+}, & \boxed{=} \\ \boxed{+}, & \boxed{=} \end{cases}$$

The `amsmath` package provides a `cases` environment to build such alignments. ConTeXt provides `\startmathcases`.

```
\begin{equation*}
|x| =
\begin{cases}
x, & \text{if } x \geq 0; \\
-x, & \text{otherwise.}
\end{cases}
\end{equation*}
```

LATEX

$$|x| = \begin{cases} x, & \text{if } x \geq 0; \\ -x, & \text{otherwise.} \end{cases}$$

```
\startformula
|x| =
\startmathcases
\NC x, \NC if $x \geq 0$ ; \NR
\NC -x, \NC otherwise. \NR
\stopmathcases
\stopformula
```

$$|x| = \begin{cases} x, & \text{if } x \geq 0; \\ -x, & \text{otherwise.} \end{cases}$$

CONTEXT

In the `cases` environment, the rows are set in `textstyle`. The `mathtools` package provides a `dcases` environment to set the rows in `displaystyle`. In ConTeXt you can set the rows in `displaystyle` by passing `style=\displaystyle` to `\startmathcases` (or defining a new cases structure using `\definemathcases`).

```
\begin{equation*}
f(x) =
\begin{dcases}
\int_0^x g(y)\,dy, & \text{if } x \geq 0; \\
\int_{-x}^0 g(y)\,dy, & \text{otherwise.}
\end{dcases}
\end{equation*}
```

LATEX

$$f(x) = \begin{cases} \int_0^x g(y) dy, & \text{if } x \geq 0; \\ \int_{-x}^0 g(y) dy, & \text{otherwise.} \end{cases}$$

```
\startformula
f(x) =
\startmathcases[style=\displaystyle]
\NC \int_0^x g(y)\,dy, \NC \text{if } x \geq 0; \NR
\NC \int_{-x}^0 g(y)\,dy, \NC \text{otherwise.} \NR
\stopmathcases
\stopformula
```

$$f(x) = \begin{cases} \int_0^x g(y) dy, & \text{if } x \geq 0; \\ \int_{-x}^0 g(y) dy, & \text{otherwise.} \end{cases}$$

CONTEXT

5 Predefined Alignments

ConTeXt already has

```
\definemathalignment[align]
\definemathmatrix[matrix]
\definemantcases[cases]
```

defined. This means that in all the above examples, you can shorten `\startmathalignment ... \stopmathalignment` to `\startalign ... \stopalign`, `\startmathmatrix ... \stopmathmatrix` to `\startmatrix ... \stopmatrix`, and `\startmathcases ... \stopmathcases` to `\startalign ... \stopalign`.

6 Conclusion

ConTeXt now provides macros for math alignments. This makes it easier for the users to write complicated math alignments in ConTeXt. The syntax is consistent with the rest of ConTeXt macros, and thereby different from `amsmath` package syntax. Hopefully, this article will help eliminate the myth that ConTeXt is not able to handle complicated math. In ConTeXt features are added on user requests; so if there is something that you need which is not present in ConTeXt, ask for a feature request on the mailing list.

